

Med Library

CONTROL APPROVAL SYMBOL
SPMCS- 85




WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY
IN THE CONTINENTAL UNITED STATES

ARMY MEDICAL LIBRARY
DUPLICATE

WEEK ENDED 31 MAY 1946



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED
PER 1000 STRENGTH

DISEASE INJURY

[Handwritten signature]

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDED 31 MAY 1946

NATURE OF THE DATA	PAGE 2
COMMENT ON CURRENT TRENDS	5
SUMMARY FOR TOTAL UNITED STATES AND SERVICE COMMANDS	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	14
STATIONS WITH HIGHEST MORBIDITY RATES	18
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST.	19

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. The mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casuats, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.


EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (*) is placed after the name of the station.

MORBIDITY FROM — ALL CAUSES — INJURY ONLY

CONTINENTAL UNITED STATES




MORBIDITY FROM ————— DISEASE

RESTRICTED

————— COLDS INFLUENZA ETC.

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (See page 3.)

Morbidity from all causes during the week ended 31 May decreased, being reported at 461 admissions per 1000 troops per annum, as compared with 564 such admissions during the preceding week.

Injury: (See page 3.)

Injury admissions decreased to 34 per 1000 troops per annum; highest rate was that reported from the Fifth Service Command (42 per 1000), ranging down to 22 per 1000 in the Third Service Command.

Diseases: (See opposite page.)

Morbidity from all diseases in the United States as a whole during the week decreased from 527 to 427 admissions per 1000 troops per annum.

Respiratory Diseases:

(See opposite page and pages 6 and 7.)

The rate for colds, influenza, etc. decreased during the week from 90 per 1000 to 81 per 1000. Morbidity from these causes was highest in the Seventh Service Command.

Admissions for all forms of pneumonia decreased to 11 per 1000 troops per annum. Highest morbidity (26 admissions per 1000 troops per annum) was reported from the Fourth Service Command; no cases were reported among the 26,000 troops in the First Service Command. The rate for pneumonias other than primary atypical dropped to 3.0 per 1000 troops per annum.

Venereal Diseases:

Admissions for "new not-EPTS" venereal diseases decreased sharply during the week from 79 to 55 per 1000 troops per annum.

Other Communicable Diseases:

The rate for scarlet fever was reported at 3.3 admissions per 1000 troops per annum during the current week, as compared with the previous week's rate of 5.8.

The rate for rheumatic fever decreased from 3.8 to 2.2 per 1000 troops per annum.

Admissions for streptococcal sore throat numbered 1.4 per 1000 troops per annum.


MORBIDITY AT TRAINING CENTERS: (See page 13.)

It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces.


MORBIDITY FROM SELECTED CAUSES — U.S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 31 MAY 1946


ALL CAUSES






CURRENT WEEK
DISEASE



COLDS, INFLUENZA, ETC *



CURRENT YEAR TO DATE




* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Influenza.


MORBIDITY FROM SELECTED CAUSES — U. S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 31 MAY 1946


VENEREAL DISEASE *






CURRENT WEEK SCARLET FEVER



RHEUMATIC FEVER



CURRENT YEAR TO DATE



* "NEW" NOT-EPTS

COMMENT ON CURRENT TRENDS (CONT.)

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

Stations having training centers are marked in the tables in this report as follows:

- 1/ Army Service Forces Training Center.
- 2/ Army Air Forces Basic Training Center.
- 3/ Army Ground Forces Replacement Training Center.
- 4/ Personnel Center.

The admission rate for diseases at stations having training centers exceeded that at other stations by about 5 per cent.

Morbidity from colds, influenza, etc., at stations having training centers, while 50 per cent higher than that at other stations, decreased by about 20 per cent during the week.

Admissions for pneumonia at training center stations as a whole decreased from 32 to 20 per 1000 troops per annum, but contrasted sharply with the rate of 7 at other stations.

Morbidity from scarlet fever at stations having training centers decreased from 14 to 5 admissions per 1000 troops per annum. The rate for rheumatic fever also decreased during the week (5 to 3 admissions per 1000 troops per annum) at stations having training centers.

Venereal disease admissions at stations having training centers decreased during the week from 81 to 54 per 1000 troops per annum.

NONEFFECTIVE RATE: (See page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 38.4.

PATIENTS REMAINING UNDER TREATMENT: (See page 9.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 75,315, as compared with 79,057 at the end of the previous week.


The number of neuropsychiatric cases remaining was 4711 or about 400 less than at the end of the previous week. Battle wounded remaining decreased by about 1000 to number 16,087.

CERTIFICATES OF DISABILITY FOR DISCHARGE: (Page 10)

In the week ended 31 May there were 1812 enlisted personnel discharged by CDD (about the same as in the previous week). These discharges included 69 accomplished at Air Force medical activities. Among them were 351 neuropsychiatric cases.


NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES



CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S														MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH		
		ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH										
		ALL CAUSES	DISEASE	INJURY		COLDS, INFLU- ENZA, ETC. *	PNEUMONIA (INCL. ATYPICAL)	SCARLET FEVER	VENEREAL (EXCL. EPTI)									
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																		
	Current week	Previous- Week	Current Week	Previous Week	Current Week	Previous Week	Current week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week**	Previous Week***
TOTAL UNITED STATES	1160054	1174140	461	564	427	527	34	37	81	90	11	14	3	6	55	79	38	40
FIRST SERVICE COMMAND	25729	26888	370	453	334	414	36	39	57	62	0	27	27	0	46	33	43	54
SECOND SERVICE COMMAND	134155	137376	587	657	556	626	31	31	82	76	8	4	2	2	99	118	38	37
THIRD SERVICE COMMAND	118092	120208	501	621	479	593	22	28	103	117	12	15	6	10	79	121	38	39
MIL. DIST. OF WASHINGTON	46195	46556	447	547	417	515	30	32	78	115	9	11	57	67	51	59	44	43
FOURTH SERVICE COMMAND	178903	185742	424	523	387	478	37	45	47	38	26	32	17	2	88	127	46	47
FIFTH SERVICE COMMAND	88587	89950	435	559	393	527	42	32	81	87	9	12	5	12	38	49	33	40
SIXTH SERVICE COMMAND	70261	72436	376	458	347	421	29	37	88	106	5	7	6	6	30	42	36	33
SEVENTH SERVICE COMMAND	74802	77035	495	541	457	511	38	30	110	110	9	12	7	15	40	48	42	43
EIGHTH SERVICE COMMAND	226383	224621	465	603	428	561	37	42	92	125	11	18	3	3	41	47	36	39
NINTH SERVICE COMMAND	196947	193328	427	527	393	490	34	37	74	78	3	4	2	7	46	65	37	38
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																		
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year***	Previous Year***
TOTAL UNITED STATES	1520251	2877011	617	629	584	578	33	51	155	153	16	13	8	2	75	43	78	84
FIRST SERVICE COMMAND	48017	79843	535	663	507	618	28	45	126	147	9	7	5	1	37	51	140	137
SECOND SERVICE COMMAND	147708	179809	657	678	630	636	27	42	128	150	12	10	3	2	74	48	98	113
THIRD SERVICE COMMAND	154283	187448	767	662	739	623	28	39	237	153	19	13	16	2	103	61	64	98
MIL. DIST. OF WASHINGTON	47597	51302	718	615	692	576	26	39	259	166	25	7	23	1	45	21	76	72
FOURTH SERVICE COMMAND	295232	701862	556	616	522	557	34	59	107	130	22	14	5	1	114	47	67	73
FIFTH SERVICE COMMAND	112218	138741	575	637	545	592	30	45	115	185	12	15	9	1	62	49	97	174
SIXTH SERVICE COMMAND	93253	105726	537	654	507	620	30	34	116	178	16	18	6	7	50	48	118	135
SEVENTH SERVICE COMMAND	119273	266564	698	585	672	546	26	39	230	148	18	9	18	3	57	42	83	85
EIGHTH SERVICE COMMAND	256193	691670	620	631	584	575	36	56	188	175	17	17	6	2	62	37	65	59
NINTH SERVICE COMMAND	246477	474046	573	623	534	572	39	51	125	146	10	8	4	2	63	38	66	74

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 22
WEEK ENDING 31 May 1946

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCID MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1160054	75	135	74	6	48	175	61	6	182	61	33	112	46	30	15	1	1812
FIRST SERVICE COMMAND	25729		1	1		1		3		1	1		1	2	1		1	67
SECOND SERVICE COMMAND	134155	4	13	6		5	13	15	4	20	5	8	12	4	3	1		321
THIRD SERVICE COMMAND	118092	13	20	14	1	3	27	6		13	2	2	35	3	1	2		82
MIL. DIST. OF WASHINGTON	46195	3	12	4		6	5	2		10	5		1	2	2			40
FOURTH SERVICE COMMAND	178903	5	11	3	4	9	83	8	2	31	6	1	10	10	6	4		393
FIFTH SERVICE COMMAND	88587	8	15	8		3	6	5		12	8		1					160
SIXTH SERVICE COMMAND	70261	4	6	8		2	5	3		13	8		4	3	3			198
SEVENTH SERVICE COMMAND	74802	5	13	10		4	9	2		14	2	13	6	2	2			126
EIGHTH SERVICE COMMAND	226383	23*	19	12	1	13	20	9		37	17	7	17	9	8	1		199
NINTH SERVICE COMMAND	196947	10	25	8		2	7	8		31	7	2	25	11	4	7		226
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1174140	141	176	130	9	85	231	85	3	199	46	51	104	55	21	34		1826
FIRST SERVICE COMMAND	26888	2	1			2		3		4	1		3	1	1			78
SECOND SERVICE COMMAND	137376	11	16	6	1	3	9	22		12	6	3	12	9	2	7		312
THIRD SERVICE COMMAND	120208	20	24	22	1	9	30	8		9	8	6	16	3	1	2		79
MIL. DIST. OF WASHINGTON	46556	6	4	5		8	8	2		7	1	1	2	1	1			44
FOURTH SERVICE COMMAND	185742	7	18	8	1	4	108	1		36		1	9	15	4	11		319
FIFTH SERVICE COMMAND	89950	7	8	20		6	11	2	1	13	6		2	1	1			173
SIXTH SERVICE COMMAND	72436	4	12	9	1	5	5	17		15	2	1	2	8	3	5		141
SEVENTH SERVICE COMMAND	77035	9	7	22		18	15	2	1	15	6	18	4	4	3	1		210
EIGHTH SERVICE COMMAND	224621	36	45	11	5	19	41	21	1	61	9	12	30	5	2	3		192
NINTH SERVICE COMMAND	193328	39	41	27		11	4	7		27	7	9	24	8	3	5		278

FORM SG-396C REVISED 2 DEC. 1944

* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

MORBIDITY FROM SELECTED CAUSES

ADMISSIONS TO HOSPITAL AND QUARTERS - WEEK ENDED 31 MAY 1946

RESTRICTED

STATION	MEAN STRENGTH	ADMISSIONS PER 1000 TROOPS PER ANNUM										NUMBER OF ADMISSIONS																												DEATHS
		ALL CAUSES	DISEASES	INJURY	"NEW" NON-EPTS VENEREAL DISEASES, COLDS, INFLUENZA, ETC.	DIPHTHERIA	MEASLES	MENINGOCOCCIC MENINGITIS	WUMPS	ALL FORMS	PRIMARY ATYPICAL SCARLET FEVER	TUBERCULOSIS	DIARRHEA AND DYSENTERY	MALARIA	INFECTIOUS MONONUCLEOSIS	BREAST TUBERCULOSIS	VENEREAL DISEASES**																		ALL CAUSES					
																	NON-EPTS CASES NOT PREVIOUSLY REPORTED												READMISSION		EPTS									
																	TOTAL			GONORRHEA			SYPHILIS			TOTAL	GONORRHEA	SYPHILIS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS		ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS		
																	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS														ALL PERSONNEL	
FIRST SERVICE COMMAND	25729	370	334	36	46	57			1		1	1	1	3	1	23	19	4	9	5	4	14	14	2	2	2	1	1	2	1										
Devens, Ft, Mass 4/	8266	251	245	67	197	317				1			1	2		3	3		1	1		2	2																	
Westover Field, Mass	5507	397	378	197	66	85			1							7	3	4	6	2	4	1	1	1	1															
TOTAL: ALL STATIONS UNDER 5000 STRENGTH AND MISCELLANEOUS UNITS	11956	439	374	65	57	61					1		1	1	13	13		2	2		11	11	1	1	2	1	1	2	1											
SECOND SERVICE COMMAND	134155	587	556	31	99	82	4	13	20	13	6	5	9	24	15	5	255	83	172	188	61	127	64	20	44	12	8	4	1	1	4	3								
Dix, Ft, NJ 4/	36493	782	768	14	134	64	2	2	3	3		2		8	2	1	94	24	70	84	21	63	10	3	7	3	1	2	1		1									
Hancock, Ft, NJ	5394	549	501	487		397	1																		2	2														
Kilmer, Cp, NJ	40608	585	565	20	161	68	1	5	8	4	1	1		4	4		126	47	79	79	32	47	46	14	32	2	1	1		1	1									
Mitchel Field, NY	5079	379	328	517	317	61								2		3	2	1	1	1		1	1	3	3															
Monmouth, Ft, NJ	11494	466	430	36	27	176			3	1	1	4		2	2		6	1	5	5		5	1	1																
TOTAL: ALL STATIONS UNDER 5000 STRENGTH AND MISCELLANEOUS UNITS	35087	460	408	52	39	95			3	8	5	1	2	7	10	7	4	26	9	17	19	7	12	6	2	4	2	1	1		3	2								
THIRD SERVICE COMMAND	118092	501	479	22	79	103	13	1	20	27	27	14	2	4	13	6	3	180	61	119	155	58	97	25	3	22	42	34	7	10	1	8	3	1						
Aberdeen PrGr, Md 1/ (RH) 4/	23084	532	514	18	54	241	3	6	4	4	7			1		24	6	18	19	6	13	5		5	4	4		2		2										
George G Meade, Ft, Md	18145	479	470	97	140	117	3		5	5		2	4	2	2		49	30	19	41	27	14	8	3	5	4	1	3	6	1	5									
Eustis, Ft, Va 1/	16242	787	768	19	102	183	3	2	6	6			1	1		32	4	28	30	4	26	2		2	25	25														
Langley Field, Va	5222	130	120	107	307	107											3	2	1	2	2		1	1																
Lee, Cp, Va (RH) 1/	34825	349	334	15	76	43	1	7	10	10	5		1	1	2	51	6	45	45	6	39	6	6	6	3	3	1		1	1										
TOTAL: ALL STATIONS UNDER 5000 STRENGTH AND MISCELLANEOUS UNITS	20574	610	554	56	53	94	3	1	5	2	2	2		9	1	1	21	13	8	18	13	5	3	3	3	1	1	1		2	1									

RESTRICTED

50 FORM 28 MAY 1946 945

* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis, Acute Catarrhal Laryngitis and
** Includes cases carded for record only

MORBIDITY FROM SELECTED CAUSES

ADMISSIONS TO HOSPITAL AND QUARTERS - WEEK ENDED 31 MAY 1946

RESTRICTED

STATION	MEAN STRENGTH	ADMISSIONS PER 1000 PERSONS PER MONTH						NUMBER OF ADMISSIONS																								DEATHS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		ALL CAUSES	DISEASES	INJURY	*NEW* NON-EPTS VENEREAL DISEASES	CROUP, INFLUENZA, ETC.	DIPHTHERIA	MEASLES	MENINGOCOCCIC MENINGITIS	WUMPS	PNEUMONIA	ALL FORMS	PRIMARY ATYPICAL	SCARLET FEVER	TUBERCULOSIS	DIARRHEA AND DYSENTERY	MALARIA	SYPHILIS	HEPATITIS	PNEUMONIC	FEVER	VENEREAL DISEASES**												READMISSION	EPTS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																						NON-EPTS CASES NOT PREVIOUSLY REPORTED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
																						TOTAL			GONORRHEA			SYPHILIS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

89 FORM
28 MAY 1946 945

* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Masopharyngitis, Acute Catarrhal Laryngitis and Influenza
** Includes cases carded for record only

RESTRICTED

RESTRICTED

RESTRICTED

MORBIDITY FROM SELECTED CAUSES

ADMISSIONS TO HOSPITAL AND QUARTERS - WEEK ENDED 31 MAY 1946

RESTRICTED

STATION	MEAN STRENGTH	ADMISSIONS PER 1000 TROOPS PER ANNUM										NUMBER OF ADMISSIONS																												DEATHS			
		ALL CAUSES	DISEASES	INJURY	"NEW" NON-EPTS VEREAL DISEASES	COLDS, INFLUENZA, ETC.	DIPHTHERIA	MEASLES	MENINGOCOCCIC MENINGITIS	MUMPS	ALL FORMS	PNEUMONIA	SCARLET FEVER	TUBERCULOSIS	DIARRHEA AND DYSENTERY	MALARIA	INFECTIOUS HEPATITIS	RHEUMATIC FEVER	VEREAL DISEASES**																		READMISSION	EPTS					
																			NON-EPTS CASES				NOT PREVIOUSLY REPORTED				SYPHILIS		TOTAL	GONORRHEA	SYPHILIS	TOTAL	GONORRHEA	SYPHILIS	TOTAL	GONORRHEA		SYPHILIS	TOTAL		GONORRHEA	SYPHILIS	TOTAL
																			WHITE	COLORED	TOTAL	WHITE	COLORED	TOTAL	WHITE	COLORED	TOTAL	WHITE															
EIGHTH SERVICE COMMAND	226383	465	428	37	41	92	23	1	19	49	20	12	17	20	37	9	13	178	104	74	147	84	63	28	18	10	14	10	4	20	6	14	9	8									
Amarillo AAF, Tex.(RH)	10520	801	761	40	30	356	10	1		2	7					6	6	4	2	3	2	1	3	2	1																		
Bliss, Ft., Tex. 3/ 4/	16823	529	507	22	37	148	1	2			1	2	5		1	1	12	12		10	10		1	1																			
Chaffee, Co., Ark. 4/	5950	490	446	44	61	97				6	4	2		2			7	6	1	2	2		5	4	1				4	1	3												
Hood, Co., Tex.	15567	374	361	13	57	40		2					4	16	1		17	15	2	15	13	2	2	2		4	4					1	1										
Jos.T.Robinson,Co.,Ark.	12489	429	387	42	177	79	1	1		2					1	1	4	3	1	4	3	1				3	2	1															
Polk, Co., La. 1/ 4/	30282	489	429	60	12	57	5	5	2								7	5	2	4	3	1	3	2	1	2	2																
Sam Houston,Ft.,Tex.	23977	464	442	22	98	50				2	2		1	5	2		45	15	30	42	14	28	3	1	2			15	4	11													
San Antonio AAF, Tex.	26229	500	488	12	26	194	4	3	19	9	3	2	1	1	4		13	8	5	13	8	5			1	1						1	1										
Sheppard Field, Tex.	16883	487	465	22	22	114		2	9	2	1						7	3	4	5	2	3	2	1	1																		
Sill, Ft., Okla.	5976	418	348	70	177	52	1	1	1	1		4					2	2		2	2					1	1																
TOTAL:ALL STATIONS UNDER 5000 STR. & MISC. UNITS	61687	394	341	53	49	444	1	3	8	4		9	4	13	3	1	58	31	27	47	25	22	9	5	4	3		3	1	1		7	6										
NINTH SERVICE COMMAND	196947	427	393	34	46	74	10	25	13	7	8	7	14	31	8	2	176	58	118	133	43	90	37	15	22	20	5	15	1	1		11	4										
Beale, Co.,Calif. 4/	14662	277	252	25	35	184									3	1	10	9	1	3	3		6	6																			
Geiger Field, Wash.	5612	501	445	56	197	287				1	1						2	1	1	2	1	1										1											
Kearns AAF, Utah	7752	315	302	137	54	81		1		3		2					8	6	2	7	6	1	1	1																			
Lawton, Ft., Wash.	17319	384	366	18	21	60	2	5				7		2			7	2	5	5		5	2	2																			
Lewis,Ft.,Wash. 1/ 4/	44138	488	469	19	39	133	5	11	3	1	1			3	1	33	8	25	24	7	17	9	1	8	5	5																	
Stoneman, Co., Calif.	37079	355	330	25	107	34	2	4	4	3				10	2		76	9	67	60	8	52	12	1	11							1											
TOTAL:ALL STATIONS UNDER 5000 STR. & MISC. UNITS	70385	475	420	55	30	55	1	4	5	2	4	7	7	13	3	1	40	23	17	32	18	14	7	5	2	15		15	1	1		9	4										

39 FORM
28 MAY 1946 945

* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis, Acute Catarrhal Laryngitis and Influenza
** Includes cases carded for record only

RESTRICTED

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 22

WEEK ENDING 31 May 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			MEASLES Annual Admission Rate per 1000		
Buckley Field, Colo	1023	1220	Buckley Field, Colo	930	1159	Amarillo AAF, Texas	49	53
Amarillo AAF, Texas	801	995	Eustis, Ft, Va 1/	768	972	Knox, Ft, Ky 3/	14	8?
Eustis, Ft, Va 1/	787	1005	Dix, Ft, NJ 4/	768	707			
Dix, Ft, NJ 4/	782	716	Amarillo AAF, Texas	761	942	NO OTHER STATIONS WITH SIX OR MORE CASES.		
McPherson, Ft, Ga 4/	593	683	McPherson, Ft, Ga 4/	566	635			
Kilmer, Cp, NJ	585	639	Kilmer, Cp, NJ	565	625			
Knox, Ft, Ky 3/	576	673	Aberdeen PrGr, Md 1/	514	639			
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER Annual Admission Rate per 1000		
Amarillo AAF, Texas	356	432	Keesler Field, Miss 2/	112 (109)	101(101)**	Amarillo AAF, Texas	35	15?
Buckley Field, Colo	343	298	McClellan, Ft, Ala 3/	75 (71)	136(134)	Scott Field, Ill	22	13?
Geiger Field, Wash	287	309	Chaffee, Cp, Ark 4/	52 (35)	32?(32?)	Aberdeen PrGr, Md 1/	16	9?
Aberdeen PrGr, Md 1/	241	210	San Antonio AAF, Texas	38 (18)	15(4?)	Knox, Ft, Ky 3/	14	39
Knox, Ft, Ky 3/	198	209	Sheppard Field, Texas 2/	28 (0)	95(50)	NO OTHER STATIONS WITH SIX OR MORE CASES.		
Eustis, Ft, Va 1/	183	257	Knox, Ft, Ky 3/	27 (8?)	33(18)			
Mormouth, Ft, NJ	176	280	Belvoir, Ft, Va 1/	16 (13?)	23(18)			
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000					
Benning, Ft, Ga	179	198	Buckley Field, Colo	93	61			
Kilmer, Cp, NJ	161	215	Sill, Ft, Okla	70	65			
George G Meade, Ft, Md 4/	140	175	Knox, Ft, Ky 3/	65	47			
Dix, Ft, NJ 4/	134	100	Dayton, Ohio Tech Base	63	37			
Jackson, Ft, SC	120	283	Polk, Cp, Ia 1/	60	66			
Stoneman, Cp, Calif	107	81	Geiger Field, Wash	56	70			
Eustis, Ft, Va 1/	102	182	Campbell, Cp, Ky	47	26			

FORM SG-396E Rev. 24 April 1946

RESTRICTED

*Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis.

**Figures in parentheses are rates for atypical pneumonia only.

1/ ARMY SERVICE FORCES TRAINING CENTER.

2/ ARMY AIR FORCES BASIC TRAINING CENTER.

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.

4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 22
WEEK ENDING 31 May 19 46

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<p><u>DIPHTHERIA (2)</u> 1-Mayo GH, Ill. 1-McCoy, Cp., Wis.</p>	<p><u>SCABIES (24)</u> 24-Eustis, Ft., Va.</p>	<p><u>AMEBIC DYSENTERY (4)</u> 1-Randolph Field, Tex. 1-Sam Houston, Ft., Tex. 1-Tinker Field, Okla. 1-Lawton, Ft., Wash.</p>	<p><u>ANKYLOSTOMIASIS (1)</u> 1-McCormack GH, Calif.</p>		<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <hr/> <p><u>STREPTOCOCCAL SORE THROAT</u> 13-Buckley Field, Colo.</p>
<p><u>POLIOMYELITIS (2)</u> 2-Brooke GH, Tex.</p>	<p><u>COCCIDIOIDOMYCOSIS (1)</u> 1-Williams Field, Ariz.</p>				<p><u>GERMAN MEASLES</u> 17-McClellan, Ft., Ala. (RH) 26-Knox, Ft., Ky. (RH) 16-Snelling, Ft., Minn. 12-Polk, Cp., La.</p> <hr/> <p><u>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u></p> <p>1-Carlisle Eks. Pa. 1-Memphis, Mun. Airport, Tenn. 1-Morrison Field, Fla.</p>
<p>STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASE IS BEING EMPLOYED IN SOME OR ALL OF UNITS</p> <p>None</p>					

FORM SG-902 - 8 July 1944

RESTRICTED

